









DAILY²-LINE

The DAILY² line is most suited to use in various shoe types with low space requirements. DAILY², DAILY² COMFORT+, DAILY² FLEX, DAILY² BLACK FIBER, DAILY² HIGH HEEL, DAILY² CONTROL and DAILY² RIGIDUS SE/LE are your ideal everyday companions. Designed as an extremely thin and lightweight insole, the DAILY² line gives you the opportunity to offer your customers foot orthotics which are high quality and fit inside business shoes. There are two shell widths available, narrow and medium. The DAILY² line's centrepiece is the orthotic shell made from glass fiber and carbon fiber composite material Perpedes developed and produces by itself. Due to their thermoplastic properties, these are able to adapt to the foot simply and quickly. High-quality materials which meet high demands and offer the opportunity to be quickly and easily processed.

DAILY²



CHARACTERISTICS

Supportive foot orthotic blank Long-soled soft cushion (optional)

Compatible with the BALANCER - HEEL POST MODULE



DELIVERY FORM



The DAILY² orthotic blank forms the basis of the DAILY² line. The self-supporting but thin Perpedes glass fiber composite shell with its long wing section optimally supports the foot's longitudinal arch, guides the heel and still maintains the natural feeling when walking. The Perpedes glass fiber composite shell, which is available in two widths, can be optionally shaped due to its thermo-

plastic properties and can, therefore, be uniquely adapted to the user's foot and conditions. An additional reinforcing textile layer with forefoot stabilizing elements gives the orthotic blank further stability. Optionally, the DAILY² can be supplemented by soft Carbosan foam met pads which support the transversal arch.

BESTSELLERS

| ITEM NO. | BASE COVER | ADDITION | WIDTH | OUTLINE | LENGTH | SIZE RANGE |
|----------|-------------------|---------------------------|--------|----------|--------|------------------------|
| DAA_ | CarboTec black | - | Narrow | Business | 4/4 | 35 - 43 |
| DAI_ | CarboTec titanium | - | Medium | Business | 4/4 | 36 - 48, 49/50 - 51/52 |
| DAG_ | CarboTec black | COMFORT soft zone padding | Narrow | Business | 4/4 | 35 - 43 |
| DAM_ | CarboTec titanium | COMFORT soft zone padding | Medium | Business | 4/4 | 36 - 48, 49/50 - 51/52 |

| Size range: | 35 - 48, 49/50 - 51/52 |
|----------------------|--|
| Width: | Narrow (35 - 43) |
| | Medium (36 - 48, 49/50 - 51/52) |
| Foot orthotic shell: | Acrylic composite material made of knitted |
| | glass fiber (G431) |
| Outline: | Business |
| | Karree |
| 3D-Contour: | DA = moderate longitudinal arch support |
| | with slightly guided heel |
| Special feature: | Long rear wings |



BASE/BOTTOM COVER

CarboTec, black (narrow width) CarboTec, titanium (medium width)

MATERIAL COMPOSITION 50% PUR + 50% PA

CHARACTERISTICS High abrasion resistance Slightly slip-resistant Colorfast and lightfast

FOOT ORTHOTIC SHELL


MATERIAL COMPOSITION Acrylic composite material made of knitted glass fiber (G431)

CHARACTERISTICS Very good thermalplastic processing at approx. 140° C Optimal support of the foot's longitudinal arch

FEATURE Shell recess under the tuberosity 5th metatarsal and central heel

LONG REAR WINGS

Stabilized heel by long rear wings.





DAILY² line

REINFORCING LAYERS

Additional reinforcing layers provide smooth transitions and dimensional stability for the orthotic blank.

DAILY² FLEX



CHARACTERISTICS

Supportive foot orthotic blank Long-soled soft cushion (optional)

Compatible with the BALANCER - HEEL POST MODULE



DELIVERY FORM



The DAILY² FLEX orthotic blank distinguishes itself by the dynamic, flexible heel. The extremely thin and self-supporting Perpedes glass fiber composite shell with its short wing section dynamically supports the foot's longitudinal arch and can be worn in shoes with slightly raised heels due to the flexible heel area. The glass fiber composite shell, which is available in two widths, can be optionally shaped due to its thermoplastic properties and can, therefore, be uniquely adapted to the user's foot and requirements. An additional reinforcing textile layer with forefoot stabilizing elements gives the orthotic blank further stability. Optionally, the DAILY² FLEX can be supplemented by soft Carbosan foam met pads which support the transversal arch.

BESTSELLERS

| ITEM NO. | BASE COVER | ADDITION | WIDTH | OUTLINE | LENGTH | SIZE RANGE |
|----------|-------------------|---------------------------|--------|----------|--------|------------------------|
| DFG_ | Carbotec black | - | Narrow | Business | 4/4 | 35 - 43 |
| DFD_ | CarboTec titanium | - | Medium | Business | 4/4 | 36 - 48, 49/50 - 51/52 |
| DFH_ | Carbotec black | COMFORT soft zone padding | Narrow | Business | 4/4 | 35 - 43 |
| DFF_ | CarboTec titanium | COMFORT soft zone padding | Medium | Business | 4/4 | 36 - 48, 49/50 - 51/52 |

| Size range: | 35 - 48, 49/50 - 51/52 |
|----------------------|---|
| Width: | Narrow (35 - 43) |
| | Medium (36 - 48, 49/50 - 51/52) |
| Foot orthotic shell: | Acrylic composite material made of woven |
| | glass fiber and knitted polyamide (GH701) |
| Outline: | Business |
| | Karree |
| 3D-Contour: | DA = moderate longitudinal arch support |
| | with slightly guided heel |
| Special feature: | Short rear wings |

DAILY² FLEX

BASE/BOTTOM COVER

CarboTec, black (narrow width) CarboTec, titanium (medium width)

MATERIAL COMPOSITION 50% PUR + 50% PA

CHARACTERISTICS High abrasion resistance Slightly slip-resistant Colorfast and lightfast

FOOT ORTHOTIC SHELL


MATERIAL COMPOSITION Acrylic composite material made of woven glass fiber and knitted polyamide (GH701)

CHARACTERISTICS Good thermalplastic processing at approx. 140° C Optimal support of the foot's longitudinal arch

FEATURE Shell recess under the tuberosity 5th metatarsal and central heel

LONG REAR WINGS

Flexible heel by short rear wings, for improved feeling of natural gait pattern.





DAILY² line

REINFORCING LAYERS

Additional reinforcing layers provide smooth transitions and dimensional stability for the orthotic blank.

DAILY² BLACK FIBER



CHARACTERISTICS

Supportive foot orthotic blank Long-soled soft cushion (optional)

Compatible with the BALANCER - HEEL POST MODULE



DELIVERY FORM



The DAILY² BLACK FIBER orthotic blank distinguishes itself by the use of Perpedes black glass fiber composite material which is visible through a recess in the underside. The self-supporting but thin glass fiber shell with its short wing section dynamically supports the foot's longitudinal arch. The orthotic shell, which is available in two widths, can be optionally shaped due to its thermoplastic properties and can, therefore, be uniquely adapted to the user's foot and requirements. Optionally, the DAILY² BLACK FIBER can be supplemented by soft Carbosan foam met pads which support the transversal arch.

BESTSELLERS

| ITEM NO. | BASE COVER | ADDITION | WIDTH | OUTLINE | LENGTH | SIZE RANGE |
|----------|-------------------|---------------------------|--------|----------|--------|------------|
| DBB_ | Carbotec black | - | Narrow | Business | 4/4 | 35 - 43 |
| DBF_ | CarboTec titanium | - | Medium | Business | 4/4 | 36 - 48 |
| DBD_ | Carbotec black | COMFORT soft zone padding | Narrow | Business | 4/4 | 35 - 43 |
| DBJ_ | CarboTec titanium | COMFORT soft zone padding | Medium | Business | 4/4 | 36 - 48 |

| Size range: | 35 - 48 |
|----------------------|--|
| Width: | Narrow (35 - 43) / Medium (36 - 48) |
| Foot orthotic shell: | Acrylic composite material made of knitted |
| | glass fiber and knitted polyamide (BF7001) |
| Outline: | Business |
| 3D-Contour: | DA = moderate longitudinal arch support |
| | with slightly guided heel |
| Special feature: | Short rear wings |

DAILY² BLACK FIBER

BASE/BOTTOM COVER

TPU, black

MATERIAL COMPOSITION 100% TPU

CHARACTERISTICS High abrasion resistance Good durability

FOOT ORTHOTIC SHELL

MATERIAL COMPOSITION Acrylic composite material made of knitted glass fiber and knitted polyamide (BF7001)

CHARACTERISTICS Good thermalplastic processing at approx. 140° C Optimal support of the foot's longitudinal arch

FEATURE Shell recess under the tuberosity 5th metatarsal and central heel

SHORT REAR WINGS

Flexible heel by short rear wings, to sustain a natural feeling for ground contact.





DAILY² line

REINFORCING LAYERS

Additional reinforcing layers provide smooth transitions and dimensional stability for the orthotic blank.

DAILY² COMFORT+



CHARACTERISTICS

Supportive foot orthotic blank Forefoot soft cushion

Compatible with the BALANCER - HEEL POST MODULE



DELIVERY FORM



The DAILY² COMFORT+ orthotic blank is specially designed to counteract complaints with the forefoot and heel areas, e.g. due to being on your feet and standing or walking longer distances. The self-supporting but thin Perpedes glass fiber composite shell with its long wing section optimally supports the foot's longitudinal arch, guides and stabilizes the heel and still maintains the natural feeling when walking. The glass fiber composite shell, which is available in two widths, can be optionally shaped due to

its thermoplastic properties and can, therefore, be uniquely adapted to the user's foot and requirements. Additional cushioning in the central forefoot and heel areas made from high-quality Shock Absorber X PUR foam reduces the painful sensation of pressure and, therefore, increases wearing comfort. Optionally, the DAILY² COMFORT+ can be supplemented by soft Carbosan foam met pads which support the transversal arch.

BESTSELLERS

| ITEM NO. | BASE COVER | ADDITION | WIDTH | OUTLINE | LENGTH | SIZE RANGE |
|----------|-------------------|----------|--------|---------|--------|------------|
| DCE_ | CarboTec black | - | Narrow | Square | 4/4 | 35 - 44 |
| DCD_ | CarboTec titanium | - | Medium | Square | 4/4 | 35 - 52 |

| Size range: | 35 - 48 |
|----------------------|--|
| Width: | Narrow (35 - 43) / Medium (36 - 48) |
| Foot orthotic shell: | Acrylic composite material made of knitted |
| | glass fiber (G431) |
| Outline: | Square |
| 3D-Contour: | DA = moderate longitudinal arch support |
| | with slightly guided heel |
| Special feature: | Forefoot and heel cushion pads made from |
| | Shock Absorber X PUR material |
| | Long rear wings |

DAILY² COMFORT+

BASE/BOTTOM COVER

CarboTec, black (narrow width) CarboTec, titanium (medium width)

MATERIAL COMPOSITION 50% PUR + 50% PA

CHARACTERISTICS High abrasion resistance Slightly slip-resistant Colorfast and lightfast

FOOT ORTHOTIC SHELL

MATERIAL COMPOSITION Acrylic composite material made of knitted glass fiber and knitted polyamide (G431)

CHARACTERISTICS Good thermalplastic processing at approx. 140° C Optimal support of the foot's longitudinal arch

FEATURE Shell recess under the tuberosity 5th metatarsal and central heel

LONG REAR WINGS

Stabilized heel by long rear wings.





REINFORCING LAYERS

Additional reinforcing layers provide smooth transitions and dimensional stability for the orthotic blank.

FOREFOOT CUSHION PAD

Forefoot cushion pad made of yellow 7° Shore A Shock Absorber X (PUR) to relief from pressure.

HEEL CUSHION PAD

Heel cushion pad made of yellow 7° Shore A Shock Absorber X (PUR).

DAILY² RIGIDUS SE



The DAILY² RIGIDUS orthotic blank is designed specially for complaints in the big toe area, e.g. Hallux limitus. The self-supporting but thin Perpedes glass fiber composite shell with its short wing section dynamically supports the foot's longitudinal arch and is extended under the MTP joint 1 in such a way that the joint is spared from painful movement-related deflections whilst walking. In addition, the shell's frontal/lateral outline is lengthened, too. This ensures a plane forefoot posture and prevents supination with all the related side effects to the knee joint. The shell's short wing heel section ensures a feeling of natural gait pattern. The glass fiber composite shell, which is available in two widths, can be optionally shaped due to its thermoplastic properties and can, therefore, be uniquely adapted to the user's foot and requirements. Additionally, the DAILY² RIGIDUS can be supplemented by soft Carbosan foam met pads which support the transversal arch.

CHARACTERISTICS

Supportive foot orthotic blank Rigidus splint Long-soled soft cushion (optional)

Compatible with the BALANCER - HEEL POST MODULE



DELIVERY FORM



BESTSELLERS

| ITEM NO. | BASE COVER | ADDITION | WIDTH | OUTLINE | LENGTH | SIZE RANGE |
|----------|-------------------|---------------------------|--------|----------|--------|------------|
| DRQ_ | CarboTec black | - | Narrow | Business | 4/4 | 35 - 43 |
| DRS_ | CarboTec titanium | - | Medium | Business | 4/4 | 36 - 48 |
| DRR_ | CarboTec black | COMFORT Druckzonenpolster | Narrow | Business | 4/4 | 35 - 43 |
| DRT_ | CarboTec titanium | COMFORT Druckzonenpolster | Medium | Business | 4/4 | 36 - 48 |

| Size range: | 35 - 48 |
|----------------------|---|
| Width: | Narrow (35 - 43) / Medium (36 - 48) |
| Foot orthotic shell: | Acrylic composite material made of woven |
| | glass fiber and knitted polyamide (GH702) |
| Outline: | Business, Square |
| 3D-Contour: | DR = moderate longitudinal arch support |
| | with guided heel |
| Special feature: | Short rear wings |

DAILY² RIGIDUS SE

BASE/BOTTOM COVER

CarboTec, black (narrow width) CarboTec, titanium (medium width)

MATERIAL COMPOSITION 50% PUR + 50% PA

CHARACTERISTICS High abrasion resistance Slightly slip-resistant Colorfast and lightfast

RIGIDUS SPLINT

Rigidus splint for motion-limiting reinforcement underneath the MTP-joint I

FOOT ORTHOTIC SHELL

MATERIAL COMPOSITION Acrylic composite material made of woven glass fiber and knitted polyamide (GH702)

CHARACTERISTICS Good thermalplastic processing at approx. 140° C Optimal support of the foot's longitudinal arch

FEATURE Shell recess under the tuberosity 5th metatarsal and central heel

SHORT REAR WINGS

Flexible heel by short rear wings, to sustain a natural feeling for ground contact.





DAILY² line

PROTRACTED FRONTAL/LATERAL SHELL OUTLINE

The shell's lengthened frontal/lateral outline ensures a plane forefoot posture and prevents supination with all the related negative effects to the knee joint.

REINFORCING LAYERS

Additional reinforcing layers provide smooth transitions and dimensional stability for the orthotic blank.

DAILY² RIGIDUS LE



CHARACTERISTICS

Supportive foot orthotic blank Rigidus splint Long-soled soft cushion (optional)

Compatible with the BALANCER - HEEL POST MODULE



DELIVERY FORM



The DAILY² RIGIDUS LE orthotic blank is specially designed and suitable for more severe complaints in the big toe area, e.g. Hallux limitus/rigidus. The self-supporting but thin Perpedes glass fiber composite shell with its short wing section dynamically supports the foot's longitudinal arch. It is further extended under the MTP joint 1, the Hallux' DIP joint as well as the distal phalanx in such a way, that all mentioned joints are spared from the often painful movement-related deflections whilst walking. In addition, the

shell's frontal/lateral outline is lengthened, too. This ensures a plane forefoot posture and prevents supination with all the related side effects to the knee joint. The glass fiber composite shell, which is available in two widths, can be optionally shaped due to its thermoplastic properties and can, therefore, be uniquely adapted to the user's foot and conditions. Additionally, the DAILY² RIGIDUS LE can be supplemented by soft Carbosan foam met pads which support the transversal arch.

BESTSELLERS

| ITEM NO. | BASE COVER | ADDITION | WIDTH | OUTLINE | LENGTH | SIZE RANGE |
|----------|-------------------|---------------------------|--------|----------|--------|------------|
| DRO_ | CarboTec black | - | Narrow | Business | 4/4 | 35 - 44 |
| DRL_ | CarboTec titanium | - | Medium | Business | 4/4 | 35 - 52 |
| DRP_ | CarboTec black | COMFORT soft zone padding | Narrow | Business | 4/4 | 35 - 44 |
| DRM_ | CarboTec titanium | COMFORT soft zone padding | Medium | Business | 4/4 | 35 - 52 |

| Size range: | 35 - 52 |
|----------------------|---|
| Width: | Narrow (35 - 44) / Medium (35 - 52) |
| Foot orthotic shell: | Acrylic composite material made of woven |
| | glass fiber and knitted polyamide (GH702) |
| Outline: | Business, Square |
| 3D-Contour: | DR = moderate longitudinal arch support |
| | with guided heel |
| Special feature: | Long rigidus extension and laterally |
| | protracted shell for a plane forefoot posture |
| | Short rear wings |



DAILY² RIGIDUS LE

BASE/BOTTOM COVER

CarboTec, black (narrow width) CarboTec, titanium (medium width)

MATERIAL COMPOSITION 50% PUR + 50% PA

CHARACTERISTICS High abrasion resistance Slightly slip-resistant Colorfast and lightfast

LONG RIGIDUS SPLINT

Long rigidus extension is extended under the MTP joint 1, the Hallux' DIP joint as well as the distal phalanx in such a way, that these joints are spared from the often painful movement-related deflections whilst walking.

FOOT ORTHOTIC SHELL


MATERIAL COMPOSITION Acrylic composite material made of woven glass fiber and knitted polyamide (GH702)


CHARACTERISTICS Good thermalplastic processing at approx. 140° C Optimal support of the foot's longitudinal arch

FEATURE Shell recess under the tuberosity 5th metatarsal and central heel

SHORT REAR WINGS

Flexible heel by short rear wings, to sustain a natural feeling for ground contact.





DAILY² line

PROTRACTED FRONTAL/LATERAL SHELL OUTLINE

The shell's lengthened frontal/lateral outline ensures a plane forefoot posture and prevents supination with all the related negative effects to the knee joint.

REINFORCING LAYERS

Additional reinforcing layers provide smooth transitions and dimensional stability for the orthotic blank.

DAILY² HIGH HEEL




CHARACTERISTICS

Supportive foot orthotic blank Long-soled soft cushion (optional)

Compatible with the BALANCER - HEEL POST MODULE



DELIVERY FORM



The DAILY² HIGH HEEL orthotic blank is designed specially for use in high heeled shoes. The thin, self-supporting and highly flexible Perpedes carbon fiber composite shell with its short wing section adapts optimally to the relevant shoe's heel spring. The carbon fiber shell can be optionally shaped due to its thermoplastic properties and can, therefore, be uniquely adapted to the user's foot and requirements. Additionally, soft Carbosan forefoot and heel pads are inserted in order to reduce the specific impact sensation when wearing higher heels. Optionally, the DAILY² HIGH HEEL can be supplemented by soft Carbosan foam met pads which support the transversal arch and and is optionally available without the soft forefoot cushion pad.

BESTSELLERS

| ITEM NO. | BASE COVER | ADDITION | WIDTH | OUTLINE | LENGTH | SIZE RANGE |
|----------|----------------|---------------------------|--------|----------|--------|------------|
| DHB_ | CarboTec black | - | Narrow | Business | 4/4 | 36 - 43 |
| DHC_ | CarboTec black | COMFORT soft zone padding | Narrow | Business | 4/4 | 36 - 43 |

| Size range: | 36 - 43 |
|----------------------|--|
| Width: | Narrow |
| Foot orthotic shell: | Acrylic composite material made of knitted |
| | carbon fiber (C601) |
| Outline: | Business |
| 3D-Contour: | DH = moderate longitudinal arch support, |
| | flat heel |
| Special feature: | Heel cushion pad made from Carbosan |
| | foam |
| | Short rear wings |



DAILY² HIGH HEEL

BASE/BOTTOM COVER

CarboTec, black

MATERIAL COMPOSITION 50% PUR + 50% PA

CHARACTERISTICS High abrasion resistance Slightly slip-resistant Colorfast and lightfast

FOOT ORTHOTIC SHELL

MATERIAL COMPOSITION Acrylic composite material made of knitted carbon fiber (C601)

CHARACTERISTICS Excellent thermalplastic processing at approx. 140° C Optimal support of the foot's longitudinal arch

FEATURE Shell recess under the tuberosity 5th metatarsal and central heel

SUPINATION WEDGE

By using an additional layer made from carbon fiber material (C901), the foot's arch is supported and therefore counteractes problems due to overpronation.

SHORT REAR WINGS

Flexible heel by short rear wings, to sustain a natural feeling for ground contact.





DAILY² line

FOREFOOT CUSHION PAD

Forefoot cushion pad made of Carbosan foam to relief from pressure.

REINFORCING LAYERS

Additional reinforcing layers provide smooth transitions and dimensional stability for the orthotic blank.

HEEL CUSHION PAD

Heel cushion pad made of Carbosan foam to soften impact forces.

DAILY² CONTROL



CHARACTERISTICS

Heel cupped blank, solid, (thermal) remoldable Long-soled soft cushion (optional)

DELIVERY FORM



The DAILY² CONTROL orthotic blank is designed for feet with an increased lateral guiding requirement. The self-supporting but thin Perpedes glass fiber composite shell with its long wing section optimally supports the foot's longitudinal arch, guides the heel when walking. For optimized rear foot guidance, the DAILY² CONTROL heel is cupped and, for improved fit, it is lowered at the back. The glass fiber composite shell can be optionally shaped

due to its thermoplastic properties and can, therefore, be uniquely adapted to the user's foot and requirements. An additional reinforcing layer with forefoot stabilizing elements gives the orthotic blank further stability. Optionally, the DAILY² CONTROL can be supplemented by soft Carbosan foam met pads which support the transversal arch.

BESTSELLERS

| ITEM NO. | BASE COVER | ADDITION | WIDTH | OUTLINE | LENGTH | SIZE RANGE |
|----------|----------------|---------------------------|--------|----------|--------|------------|
| DCB_ | CarboTec black | - | Medium | Business | 4/4 | 36 -48 |
| DCC_ | CarboTec black | COMFORT soft zone padding | Medium | Business | 4/4 | 36 -48 |

| Size range: | 36 - 48 |
|----------------------|--|
| Width: | Medium |
| Foot orthotic shell: | Acrylic composite material made of knitted |
| | glass fiber (G421) |
| Outline: | Business |
| | Square |
| 3D-Contour: | DC = moderate longitudinal arch support, |
| | slight heel cup |
| Special feature: | Cupped hindfoot |
| | Long rear wings |

DAILY² CONTROL

BASE/BOTTOM COVER

CarboTec, black

MATERIAL COMPOSITION 50% PUR + 50% PA

CHARACTERISTICS High abrasion resistance Slightly slip-resistant Colorfast and lightfast

FOOT ORTHOTIC SHELL

MATERIAL COMPOSITION Acrylic composite material made of knitted (G421)


CHARACTERISTICS Very good thermalplastic processing at approx. 140° C Optimal support of the foot's longitudinal arch

FEATURE Shell recess under the tuberosity 5th metatarsal and central heel

LONG REAR WINGS

Stabilized heel by long rear wings.





REINFORCING LAYERS

Additional reinforcing layers provide smooth transitions and dimensional stability for the orthotic blank.

CUPPED HEEL

For optimized rear foot guidance the heel is cupped and, for improved fit, it is lowered at the back. Due to the wide heel cup, top covers of our DryFeet+ are suitable.

DAILY² COMFORT SOFT ZONE PADDING

DAILY² COMFORT SOFT ZONE PADDING


Soft pressure zone padding made of Carbosan foam suitable for the limited volume of business footwear

DAILY² COMFORT PADDING

Available for the following foot orthoses of the Daily line:

DAILY² DAILY² FLEX DAILY² BLACK FIBER DAILY² CONTROL DAILY² RIGIDUS SE/LE





DAILY² line

"INVISIBLE" CUSHION

Thinning and therefore invisible at the sides

TOPOLOGY

Various thicknesses - more cushion thickness in the center according to the foot's needs

OVERVIEW

| | DAILY ² | DAILY ² FLEX |
|--|--------------------|-------------------------|
| G431 | | GH701 |
| | | |
| | ~ | v |
| ec black | ~ | <i>~</i> |
| | | |
| of composite carbon fiber material (C901) | | |
| for limitation of MTP-joint I | | |
| tation of MTP-joint I, Hallux' DIP joint as well as its distal phalanx | | |
| eral shell outline for plane forefoot posture | | |
| cushion pad | | |
| oft zone padding (selected item numbers) | ~ | <i>~</i> |
| ess under the tuberosity 5th metatarsal and central heel | ~ | ~ |
| ar wings | ~ | |
| ear wings | | ~ |
| d heel | | |
| shell customizable by temperature of approx. 140°C (284°F) | ~ | ¥ |

DAILY² line

WWW.PERPEDES.DE

Order and Support: Mo. - Th: 8.00 am - 5.30 pm Fr. 8.00 am - 4.00 pm T. +49 (0) 7021 738 30 - 0 F. +49 (0) 7021 738 30 - 298 info@perpedes.de

Return address: Perpedes GmbH Tannenbergstr. 139 73230 Kirchheim unter Teck Germany

Perpedes GmbH Haertwasen 8-14 73252 Lenningen Germany